L Number	Hits	Search Text	DB	Time stamp
-	2489	709/217.ccls.	USPAT; US-PGPUB;	2004/04/26 14:46
-	10	709/217.ccls. and volume same mounting	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/04/26 14:47
-	559	(volume same mount\$8).ti.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/26 14:50
-	0	(network same volume same mount\$8).ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/26 14:48
-	0	(network near5 volume near5 mount\$8).ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/26 14:48
-	0	(network near10 volume near10 mount\$8).ti.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/26 14:48
-	5	((volume same mount\$8).ti.) and (client and server)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 14:50
-	14673	(volume same mount\$8).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 14:50
-	20	((volume same mount\$8).ab.) and (client and server)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 14:50
-	15	(((volume same mount\$8).ab.) and (client and server)) not (((volume same mount\$8).ti.) and (client and server))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 14:58
-	83663	client and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 14:58

-	88271	client and server	USPAT;	2004/04/26
			US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	15886	(client and server) and volume	USPAT;	2004/04/26
		,	US-PGPUB;	15:06
			EPO; JPO;	20.00
			DERWENT;	
			IBM_TDB	
-	3726	((client and server) and volume) and mount\$8	USPAT;	2004/04/26
		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	14:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3526	(((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:07
		in)	EPO; JPO;	- ·
		, 	DERWENT;	
			IBM_TDB	
_	1009	((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:07
		in)) and authent\$8	EPO; JPO;	
			DERWENT;	
			IBM_TDB	:
	181	(((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
	101	and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:08
		in)) and authent\$8) and (plug adj in or plugin or	EPO; JPO;	
		plug-in)	DERWENT;	
		FO/	IBM_TDB	
<u> </u>	55	((((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:08
		in)) and authent\$8) and (plug adj in or plugin or	EPO; JPO;	
1		plug-in)) and cookie	DERWENT;	
			IBM_TDB	
-	34	(((((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:01
		in)) and authent\$8) and (plug adj in or plugin or	EPO; JPO;	
		plug-in)) and cookie) and profile	DERWENT;	
		, ,	IBM_TDB	
_	258	(client and server) and volume near5 mount\$8	USPAT;	2004/04/26
		(	US-PGPUB;	15:06
			EPO; JPO;	
ļ l			DERWENT;	
			IBM_TDB	
-	549	(client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:07
		near5 mount\$8	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	495	((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
[		adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in)	DERWENT;	
			IBM_TDB	
-	105	(((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
]		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in)) and authent\$8	DERWENT;	
			IBM_TDB	1

-	496	((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
1		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
	•	login or log adj in authent\$8)	DERWENT;	
			IBM_TDB	
-	67	(((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in authent\$8)) and (plug adj in or	DERWENT;	
		plugin or plug-in)	IBM_TDB	
-	12	((((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in authent\$8)) and (plug adj in or	DERWENT;	
		plugin or plug-in)) and cookie	IBM_TDB	
_	14	6119131.URPN.	USPAT	2004/04/26
				15:24
l <u>-</u>	o	6525894.URPN.	USPAT	2004/04/26
				15:29
-	o	6525894.URPN.	USPAT	2004/04/26
				15:29
_	3	("5712740"   "5971281"   "6181498").PN.	USPAT	2004/04/26
			~~···	15:29
_	8	5971281.URPN.	USPAT	2004/04/26
-		097 1201.0Ki N.	001711	15:29
	1345	mount\$8 same remote same volume	USPAT;	2004/04/27
1	1545	mountipo same remote same volume	US-PGPUB;	09:21
			EPO; JPO;	09.21
			DERWENT;	
			IBM_TDB	,
	0084		_	0004704707
-	2984	mount\$8 same remote same (volume disk adj drive file adj server logical adj partition physical	USPAT; US-PGPUB;	2004/04/27 14:30
		partition)	EPO; JPO;	14.50
			DERWENT;	
			IBM_TDB	
	4511	mount\$8 same (remote distant far) same (volume	USPAT;	2004/04/27
<del>-</del>	4511	disk adj drive file adj server logical adj partition	US-PGPUB;	09:33
		physical partition)	EPO; JPO;	07.00
1		priyatear partitionij	DERWENT;	
ĺ			IBM_TDB	
1	88408	client and server	USPAT;	2004/04/27
1	00408	chent and server	US-PGPUB;	09:26
			EPO; JPO;	09,20
1			DERWENT;	
1			IBM_TDB	
	230	   (client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
-	230	distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition))	EPO; JPO;	03.41
		server logical adj parduon physical parduon)		
			DERWENT;	
	110	((alient and parter) and (mannets)	IBM_TDB	2004/04/27
1	110	((client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
		distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition)))	EPO; JPO;	
1	1	and HTTP	DERWENT;	
	40	(((alient and named) and (married)	IBM_TDB	0004704707
-	42	(((client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
		distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition)))	EPO; JPO;	
		and HTTP) and api	DERWENT;	
L.		L	IBM_TDB	

		· · · · · · · · · · · · · · · · · · ·		
-	13	((((client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
		distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition)))	EPO; JPO;	
		and HTTP) and api) and Xml	DERWENT;	
	4671		IBM_TDB	0004/04/07
-	4671	mount\$8 same (remote distant far) same (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	09:35
1		physical partition disk adj drive floppy hard adj	EPO; JPO;	
		drive compact adj disk)	DERWENT;	
			IBM_TDB	
] -	584	,	USPAT;	2004/04/27
	•	disk adj drive file adj server logical adj partition	US-PGPUB;	09:35
1		physical partition disk adj drive floppy hard adj	EPO; JPO;	
]		drive compact adj disk).ab.	DERWENT;	
			IBM_TDB	
-	55	(mount\$8 same (remote distant far) same (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	15:40
		physical partition disk adj drive floppy hard adj	EPO; JPO;	
		drive compact adj disk).ab.) and (plug\$5 hot adj	DERWENT;	
		swap\$8 plug with play)	IBM_TDB	0004454455
-	4	( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	USPAT;	2004/04/27
]		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:29
		partition physical partition disk adj drive floppy	EPO; JPO;	
		hard adj drive compact adj disk).ab.) and (plug\$5	DERWENT;	
		hot adj swap\$8 plug with play)) and server	IBM_TDB	
-	88408	client and server	USPAT;	2004/04/27
			US-PGPUB;	14:29
			EPO; JPO;	
1			DERWENT;	
<u> </u>	, , , , , ,		IBM_TDB	
-	1847	(client and server) and (AFS NFS)	USPAT;	2004/04/27
			US-PGPUB;	14:30
			EPO; JPO;	
!			DERWENT;	
	1600	(4.11.4.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	IBM_TDB	0004404407
-	1683	((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	14:30
		physical partition)	EPO; JPO;	
			DERWENT;	
	700	(((alient and names) == 4 (ADG NDG)) 1 / 1	IBM_TDB	0004/04/07
-	709	(((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	14:31
		physical partition)) and mount\$8	EPO; JPO;	
			DERWENT;	
	643	(((alient and genter) and (APC NPG)) and (	IBM_TDB	2004/04/27
-	643	(((client and server) and (AFS NFS)) and (volume disk adj drive file adj server logical adj partition	USPAT;	2004/04/27
		1	US-PGPUB;	14:31
		physical partition)) and API	EPO; JPO; DERWENT;	
			IBM_TDB	
]_	238	((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
} <sup>-</sup>	236	disk adj drive file adj server logical adj partition	US-PGPUB;	14:46
1		disk adj drive life adj server logical adj partition   physical partition)) and API) and XML	EPO; JPO;	17.70
		physical paradony, and mry and Mile	DERWENT;	
			IBM_TDB	
_	233	(((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
-	233	disk adj drive file adj server logical adj partition	USPAT; US-PGPUB;	2004/04/27 14:32
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	17.02
		login or password or Identification or log adj in)	DERWENT;	
		login or password or identification or log adj iii)	IBM_TDB	
L		<u> </u>	TDM_IDR	

-	204	(((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	14:32
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	
		login or password or Identification or log adj in))	DERWENT;	
İ	0.1	and authen\$8	IBM_TDB	
-	21	(((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	14:32
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	
		login or password or Identification or log adj in))	DERWENT;	
	169	and authen\$8) and cookie	IBM_TDB	0004/04/07
-	109	((((((client and server) and (AFS NFS)) and (volume disk adj drive file adj server logical adj partition	USPAT;	2004/04/27 15:40
		physical partition)) and API) and XML) and (ID or	US-PGPUB; EPO; JPO;	15:40
		login or password or Identification or log adj in)	DERWENT;	
		and (plug adj in or plugin or plug-in or plug with	IBM_TDB	
		in)	IDM_IDB	
	168	(((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
	100	disk adj drive file adj server logical adj partition	US-PGPUB;	14:33
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	11.00
]		login or password or Identification or log adj in))	DERWENT;	
		and (plug adj in or plugin or plug-in or plug with	IBM_TDB	•
1		in)) and http		}
-	164	((((((((client and server) and (AFS NFS)) and	USPAT;	2004/04/27
•		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:34
]		partition physical partition)) and API) and XML)	EPO; JPO;	
1		and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj	_	
		protocol)		
-	2	(((((((((client and server) and (AFS NFS)) and	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:34
		partition physical partition)) and API) and XML)	EPO; JPO;	
	•	and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and ( IP or internet adj		
		protocol)) and (map\$8 adj table)		
-	163	((((((((((((((((((((((((((((((((((((((	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:35
		partition physical partition)) and API) and XML)	EPO; JPO;	
		and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)	LIODAM	0004/04/07
<del>-</del>	163	((((((((((((((((((((((((((((((((((((((	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:35
		partition physical partition)) and API) and XML)	EPO; JPO;	
1		and (ID or login or password or Identification or log adj in)) and (plug adj in or plugin or plug-in or	DERWENT;	
		plug with in)) and http) and (IP or internet adj	IBM_TDB	
		protocol)) and (table)) and address\$8		
1_	157	((((((((((((((((((((((((((((((((((((	USPAT;	2004/04/27
1	13,	((((((((((((((((((((((((((((((((((((((	US-PGPUB;	14:36
		partition physical partition)) and API) and XML)	EPO; JPO;	17.50
1		and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
1		protocol)) and (table)) and address\$8) and module		
	<u> </u>	- I - I - I - I - I - I - I - I - I - I		

-	81	(((((client and server) and (AFS NFS)) and (volume disk adj drive file adj server logical adj partition	USPAT; US-PGPUB;	2004/04/27 15:40
		physical partition)) and API) and XML) not	EPO; JPO;	
		((((((((((((((((((((((((((((((((((((((	DERWENT;	
		(volume disk adj drive file adj server logical adj	IBM_TDB	•
		partition physical partition)) and API) and XML)		
1		and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and module)		
-	16	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	15:41
		physical partition)) and API) and XML) not	EPO; JPO;	
		((((((((((((((((((((((((((((((((((((((	DERWENT;	
		(volume disk adj drive file adj server logical adj	IBM_TDB	
	İ	partition physical partition)) and API) and XML)		
		and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and		
		module)) and (plug\$5 hot adj swap\$8 plug with		
-	12	play) ((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
	12	disk adj drive file adj server logical adj partition	US-PGPUB;	15:41
		physical partition)) and API) and XML) not	EPO; JPO;	10.11
	1	((((((((((((((((((((((((((((((((((((((	DERWENT;	
}		(volume disk adj drive file adj server logical adj	IBM_TDB	
	1	partition physical partition)) and API) and XML)	<b>-</b>	
		and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and ( IP or internet adj		
		protocol)) and (table)) and address\$8) and		
	}	module)) and (plug adj in or plugin or plug-in or		
		plug with in)		
-	16	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	15:41
		physical partition)) and API) and XML) not	EPO; JPO;	
		((((((((((((((((((((((((((((((((((((((	DERWENT;	
		(volume disk adj drive file adj server logical adj partition physical partition)) and API) and XML)	IBM_TDB	
		and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or		
	1	plug with in)) and http) and (IP or internet adj		
	1	protocol)) and (table)) and address\$8) and		
		module)) and (plug\$5 hot adj swap\$8 plug with		
	1	play plug adj in or plugin or plug-in or plug with		
	[	in)		
-	6	(((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
1	}	disk adj drive file adj server logical adj partition	US-PGPUB;	15:41
	1	physical partition)) and API) and XML) not	EPO; JPO;	
	1	((((((((((((((((((((((((((((((((((((((	DERWENT;	
		(volume disk adj drive file adj server logical adj	IBM_TDB	
	1	partition physical partition)) and API) and XML) and (ID or login or password or Identification or		
	1	log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and		
	1	module)) and (plug\$5 hot adj swap\$8 plug with		
	}	play plug adj in or plugin or plug-in or plug with		
		in)) and cookie		